



# AVIONICS CATALOG

DYNON SKYVIEW AND PORTABLE PRODUCTS FOR  
EXPERIMENTAL AND LIGHT SPORT AIRCRAFT



## Transforming aviation through technology

In 2000, we were frustrated with the lack of affordable modern avionics for sport aircraft and decided to do something about it. The result? Dynon led a sea change in modern GA aircraft avionics, equipping over 20,000 sport aircraft owners that previously couldn't imagine an affordable glass cockpit.

SkyView HDX can truly do it all: it's your primary flight instruments, full-featured engine monitor with fuel computer, a class-leading moving map and navigation platform, ADS-B traffic and weather, integrated Mode-S Transponder with ADS-B Out capability, an approach-capable autopilot that offers simplified or expert controls, a revolutionary COM radio, and more.

SkyView HDX features a clear, vibrant high-resolution display with breakthrough ergonomics, a refined touch interface, and beautifully-designed all metal and glass construction that is worthy of your aircraft.

## Our Values

We are THE avionics company for light aircraft. It's all we do. We constantly innovate and firmly stand behind our products with the industry's best support. We don't think you should have to cut a new panel every time we come up with a new idea, and the product you buy should be supported for years. The first SkyView ADAHRS ever shipped is fully compatible with every SkyView display we've ever shipped.

When you buy Dynon, you're buying from a US company. We design, engineer, manufacture, and support our products in Woodinville, Washington and Canby, Oregon. Most of our engineers are pilots, many of them homebuilders. We fly behind the products we build, and we think it shows. Half of Dynon Avionics' staff is manufacturing (in those same US offices) because building our products in-house is the most effective way to control quality and cost.

We don't think your avionics should demand that you be an engineer or "beta tester." Though your aircraft may be experimental, your avionics should run stable software that is tested, documented, and a delight to use. The modules that comprise your system should be designed for one another, with robust and redundant data connections that are hardened against failure.

You're a builder, but you're probably not an electrical engineer. Unlike the competition that requires you to build complicated harnesses or buy expensive ones, many Dynon components connect via affordable, prefabricated SkyView Network cables. Other Dynon harnesses are color-coded and match our manuals to help you speed through installation. For those that want the fastest path to flight, our Advanced Flight System division offers the revolutionary **ADVANCEDPANEL** system. These complete avionics panel solutions are professionally engineered, fully assembled, tested, configured, and ready to install in your aircraft. Best of all, almost all of the equipment in the panel, down to the switches, are made by the people that design and manufacture the avionics.

# TABLE OF CONTENTS

## SKYVIEW SYSTEM

SkyView Introduction.....	4
SkyView Features.....	5-6
SkyView HDX.....	7-8

## SYSTEM COMPONENTS, COMPARISON, AND SYSTEM ARCHITECTURE

Components.....	9-12
Panel Accessories.....	12
<b>FastTrack</b> Installation Products.....	13-16
SkyView Architecture.....	17-18

## PANEL CONFIGURATION POSSIBILITIES

Capabilities and Equipping.....	19
Light and Sporty and Weekend Warrior.....	20
Cross-Country Cruiser.....	21
The Airliner.....	22

## SYSTEM PRICING WORKSHEET

Primary Flight Displays and Navigation.....	23
Engine Monitoring.....	23
Dynon Autopilot.....	23
Transponders, ADS-B In/Out, Traffic and Weather.....	24
Radios, Intercom and Audio.....	24
Dynon AOA/Pitot Probes.....	24
<b>FastTrack</b> Mounting Options.....	24

## DYNON PORTABLE

D3 Pocket Panel.....	25
----------------------	----

## PANEL PLANNER (ACTUAL SIZE CUT OUTS)

SkyView HDX 10" Display.....	26
SkyView HDX 7" Display.....	27
SkyView Panel Accessories.....	27
SkyView Panel Accessories.....	28
Dynon Control Panels (Horizontal).....	28
SkyView HDX 7" Display.....	29
Dynon Control Panels (Vertical).....	29
SkyView HDX 10" Display.....	30



DYNON



BOOST PUMP STROBE

NAV



# SkyView™

## Technology, Capability, Affordability: FLY DYNON

You want to fly your plane, not mess with a computer. From the beginning, Dynon's pilots and engineers designed SkyView to have a clean and intuitive pilot interface through its on-screen buttons and joystick knobs. The flagship SkyView HDX augments those traditional controls with an intuitive, refined touch interface that is a delight to use.

Whether you're new to glass cockpit technology or fly 777s at work, there's a SkyView panel for you.

right way to interact with your avionics. The touchscreens on SkyView HDX and are designed to complement SkyView's tactile interface, not completely replace it. This allows you to rely on SkyView's complete set of buttons and knobs when you need them most; critical for effective control in turbulence. While you usually hold a smartphone or tablet in your hands, your EFIS screen is at the end of your outstretched arm and it's moving with the aircraft, not with you. These two things conspire to make touch control less than ideal when things get



If you're new to glass, SkyView's "six-pack" flight instrumentation mode lets you fly the gauges you're used to with the digital "EFIS glass cockpit" presentation just a few taps away. Try out the "EFIS" style as you get comfortable. Or not. It's up to you. Learn about SkyView features with extensive training videos on The Dynon Channel at [dynonavionics.com/videos](http://dynonavionics.com/videos).

If you like dedicated tactile controls, you'll be right at home with SkyView. All SkyView displays have a complete set of buttons and knobs - even those that feature a touchscreen. The optional knob control panel assigns the items you adjust most to dedicated knobs to lower pilot workload. Similarly, the Autopilot control panel removes the need to ever use the on-screen menus for Autopilot mode changes. If you have the panel space, these modules are simply the

bumpy. Starting with those challenges, we designed a touch interface specifically for the cockpit. Touch actions are designed to be intuitive and easy to learn, and used in places where they can reduce pilot workload the most. For example, touching the transponder or autopilot status displays instantly enables those features' controls, eliminating the traditional button pushes required to access those menus. Similarly, touching an item that can be adjusted on the PFD instantly reassigns a knob to the touched item, eliminating the need to manually re-task it. Use your fingertips to pan, zoom, and select items on the map - exactly as you'd expect it to.

SkyView HDX displays have a similar installation footprint as original SkyView Classic and SkyView Touch displays, enabling an affordable upgrade path that doesn't require cutting a new panel or even a single wire change.


# SKYVIEW FEATURES



SkyView's PFD display enhances situational awareness with realistic and accurate 3D depictions of runways, obstacles, terrain, and water.



New to glass? SkyView's "six-pack" mode bridges retro analog gauges with the state-of-the-art.




The tools you need to completely manage your power plant, including the industry's only automatic EGT lean/rich mixture detection that requires no pilot action and the most accurate percent power calculations possible.




Connect up any device with S-Video or composite output with the optional video input adapter. Perhaps a forward looking taxi camera for your tail-dragger.




Equip with the SV-ADS-B-472 to gain ADS-B-based graphical NEXRAD weather radar imagery, text METARs, TAFs, winds aloft, traffic, and more.\*



Voice alerts detail specific warning and caution conditions as they occur. A tone that gains intensity as your angle-of-attack increases helps you grease your landings and avoid stalls before they happen.




SkyView's free worldwide terrain data is the highest resolution available. Terrain colors are designed to look similar to charts while you're en route. They alert in vibrant yellow and red when altitude clearance is a factor.



You shouldn't have to be a computer programmer to install your avionics: An intuitive, hierarchical setup menu helps you configure your system with ease.

\*where ADS-B in services are available






Point at airports, airspaces and more for instant information about them right on the map. From there, one button press gets you virtually all the information available for airports, including TPA, frequencies, services, charts, weather, and even the airport facility directory remarks.




SkyView's navigation engine flies like you would. It anticipates waypoints and turns just before them to avoid needless overshoots. You can even display the graphics and waypoints from external IFR GPS flight plans.



With procedure charts (plates), airport diagrams (including ~5000 Flight Guide diagrams in the US), IFR en route charts, VFR sectionals, and SkyView's own map, you can truly achieve a paperless cockpit at the lowest prices in the industry.



Predictive terrain alerts dynamically shade terrain in yellow or red, based on the aircraft's projected flight path.



Checklists help remove paper clutter from the aircraft. Add as many checklists as you like - they're easily created and edited on any computer.



Plan your flight at home using your favorite planning application, then save time at the airplane by sending the planned route to your SkyView system via the Wi-Fi Adapter.



# SKYVIEW SYSTEMS

# HDX™ THE PREMIER SkyView EXPERIENCE








10" Display



7" Display



SkyView HDX is the flagship SkyView system from Dynon, the market leader in experimental and light sport avionics. HDX features improved displays, beautiful design, unrivaled control ergonomics, and an intuitive and refined touch interface.

-  **Clear, Vibrant Displays:** SkyView HDX features brighter, higher-resolution HD touchscreen displays with wider viewing angles and improved anti-reflective properties for the sharpest picture ever.
-  **Beautiful Design:** SkyView HDX's modern, elegant design features robust metal and glass construction that is worthy of your aircraft.
-  **Unrivaled Control Ergonomics:** SkyView HDX expands the SkyView philosophy of combining full physical controls with a touchscreen. SkyView HDX's angled control panel allows for natural hand positioning, reducing fatigue. The wide, sculpted ledge allows you to anchor your hand for precise control in turbulence. New knobs have positive and crisp movement, and all controls are now fully-backlit for night flight.
-  **Improved Touch Interface:** SkyView HDX features icon-driven touch controls and simplified screen navigation for reduced workload. The new engine monitor instrument band along the bottom of the screen affords an ideal instrument scan. The expansive glass display features edge-to-edge touchability with no bezel in the way.
-  **Capable and Compatible:** SkyView HDX utilizes the same components and modules as existing SkyView systems. It also features a similar mounting footprint and wiring as other SkyView displays, allowing easy upgrades for pilots already flying behind SkyView.



### SV-HDX1100

#### Dimensions

10.31" Wide  
7.1" High  
3.1" Deep

#### Weight

3.35 lb. (1.52 kg)

#### Resolution

800 Pixels High  
1280 Pixels Wide

#### Power

2.40A @12V DC

### SV-HDX800

#### Dimensions

7.64" Wide  
5.59" High  
3.13" Deep

#### Weight

2.75 lb. (1.25 kg)

#### Resolution

800 Pixels High  
1280 Pixels Wide

#### Power

2.10A @12V DC

PART#	PRICE
SV-HDX1100	\$4490
SV-HDX800	\$3190

# COMPONENTS

All components are compatible with SkyView HDX, as well legacy SkyView Classic, SkyView Touch, and SkyView SE systems, except where noted.

## VHF COM Radio



SkyView's revolutionary COM radio interface will change the way you fly with dedicated buttons for tuning Tower/CTAF, ATIS/WX, ATC, and Ground frequencies.

Weight: 1.13 lb (0.51 kg)  
Power: 0.2A Receive, 2.0A Transmit @12V DC for SV-COM-T8 / T25

MODEL#	NOTES	PRICE
SV-COM-T25 + SV-COM-PANEL	Vertical or Horizontal COM Panel versions available; 25kHz spacing only, TSO'd transceiver.	\$1375
SV-COM-T8 + SV-COM-PANEL	Vertical or Horizontal COM Panel versions available; 8.33 kHz spacing, TSO'd transceiver.	\$2330

## Autopilot Control Panel



Individual buttons for all autopilot modes let you use your SkyView menus exclusively for other features like navigation and flight planning. Built-in 2-axis speed-sensitive trim controller.

Weight: 0.3 lb. (0.15 kg)  
Power: 0.05A @12V DC

MODEL#	NOTES	PRICE
SV-AP-PANEL	AP panel button features require use of autopilot in expert mode. Panel button features not compatible with SkyView SE. However, when mounted remotely, trim motor controller and autopilot auto-trim features are compatible with SkyView SE.	\$645

## Knob Control Panel



Dedicated controls for your barometric altimeter setting and the two bugs you use the most.

Weight: 0.4 lb. (0.18 kg)  
Power: 0.07A @12V DC

MODEL#	NOTES	PRICE
SV-KNOB-PANEL	Available in horizontal and vertical versions.	\$325

## Two-Place Stereo Intercom



Stereo, two-place intercom with audio connectivity for EFIS alerts and music that is usually only found in full-size audio panels.

Weight: 0.45 lb. (.204 kg)  
Power : 0.1A @12V DC

MODEL#	NOTES	PRICE
SV-INTERCOM-2S	Includes horizontal and vertical faceplates, stereo headset jacks.	\$295

## Trim Motor Adapter



Although originally designed for adapting legacy DC motors used in type-certificated aircraft, the Trim Motor Adapter provides additional independent trim safety enhancements and pilot alerting in the event of trim system malfunctions that all pilots can benefit from.

Weight: 0.4 lb. (0.18 kg)  
Power: 5.00A MAX @12V DC

MODEL#	NOTES	PRICE
SV-AP-TRIMAMP	Works with trim motors that have and do not have clutches.	\$400



## ADAHRS - Primary and Secondary



Provides primary flight instruments, including attitude, airspeed, altitude, magnetic heading, HSI, VSI, AOA, G-meter, turn rate, slip/skid ball, OAT, and TAS. Add a secondary ADAHRS for redundancy: SkyView and AFS EFIS systems will automatically cross-check your instruments for you. For aircraft where the desired ADAHRS placement would result in interference due to proximity to ferrous metal or power, an optional remote magnetometer is available.

Weight: 0.5 lb. (0.2 kg) for SV-ADAHRS-200/201, 0.46 lb. (0.21 kg) for SV-MAG-236  
Power: 0.15A @12V DC

MODEL#	NOTES	PRICE
SV-ADAHRS-200	Primary	\$1430
SV-ADAHRS-201	Secondary / Backup	\$850
SV-MAG-236	Remote magnetometer (optional)	\$180

## Engine Monitoring Modules



The EMS module receives signals from engine sensors for display on your EFIS. Order the SV-EMS-220 for most engines, SV-EMS-221 for the Rotax 912 iS and 915 iS. Engine sensor/harness packages for Lycoming/Continental/Jabiru/Rotax engines sold separately. Sensors/harnesses available à la carte for other engines. Two modules can be used to monitor dual engines or to provide up to 28 EGT&CHT inputs for large engines.

Weight: 0.63 lb. (0.29 kg)  
Power: 0.11A @12V DC

MODEL#	NOTES	PRICE
SV-EMS-220	For Lycoming, Continental and other traditional aircraft engines	\$690
SV-EMS-221	For Rotax 912 iS and 915 iS	\$690
Probe + Harness packages		\$325 - \$1275

## Autopilot Servos




Just add servos to your system to add a fully IFR-capable autopilot. Mounting kits are available for various aircraft. The optional SV-AP-PANEL adds dedicated autopilot controls. It also features a digital, dual-axis trim controller with proportional speed control and autopilot auto-trim.

Weight: 2 lb. (0.9 kg) for SV32, 3 lb. (1.4 kg) for SV42, 4 lb. (1.8 kg) for SV52  
Power: 1.3A / 2A / 2.8A @12V DC (at 100% torque)

MODEL#	NOTES	PRICE
SV32/42/52	Autopilot Servos	\$850 each
Various	Servo Mounting Bracket Kits	\$35 - \$110

## AOA / Pitot Probes



The rest of GA is starting to see the value of AOA as a major safety-enhancing device. Meanwhile, it's been available for all Dynon EFIS systems for over a decade. It provides progressive audible approach-to-stall alert.

Weight: 0.35 lb. (0.18 kg) for 100141-000, 0.72 lb. (0.33 kg) for the 100667-000 with controller  
Power: 10A @12V DC (at Maximum Heat)

MODEL#	NOTES	PRICE
100141-000	AOA/Pitot Probe, Unheated (Underwing)	\$245
100667-000	AOA/Pitot Probe, Heated w/controller (Underwing)	\$535
100532-000	AOA/Pitot Probe, Unheated (Boom Mount)	\$245

# COMPONENTS

## Mode-S Transponders with ADS-B Out



Lightweight TSO'd Mode-S Transponder with TIS traffic reception (US only) and 1090ES ADS-B Out. US customers should choose the SV-XPNDR-261 for 2020 ADS-B mandate compliance (requires SV-GPS-2020 or other suitable position source).

Weight: 0.77 lb. (0.35 kg)  
Power: 0.4A @12V DC

MODEL#	NOTES	PRICE
SV-XPNDR-261	Class 1, FAA 2020 ADS-B Out	\$2390
SV-XPNDR-262	Class 2, <175kts; <15,000 ft. only (Not For US)	\$1990

## Traffic/Weather



The dual band SV-ADSB-472 receives ADS-B traffic via 978 MHz (UAT) and 1090 MHz, and also receives NEXRAD, METARS, TAFS, and other weather information. Unlike portable ADS-B receivers, you get FULL ADS-B and radar traffic when you pair this with our SV-XPNDR-261 and SV-GPS-2020.

Weight: 0.3 lb. (0.12 kg)  
Power: 0.05A @12V DC

MODEL#	NOTES	PRICE
SV-ADSB-472	Not compatible with SkyView SE.	\$845

## GPS Receiver Module



WAAS-enabled, high-sensitivity GPS receiver/antenna. Provides multiple updates per second for superior mapping and synthetic vision. This module is weatherproof for external mounting.

Weight: 0.44 lb. (0.2 kg) for SV-GPS-250, 0.47 lb. (0.21 kg) for SV-GPS-2020  
Power: 0.1A @12V DC

MODEL#	NOTES	PRICE
SV-GPS-2020	US ADS-B Out 2020 compliant when paired with an SV-XPNDR-261 transponder.	\$890
SV-GPS-250	Not recommended for use in US when equipping for 2020 ADS-B Out compliance.	\$249

## IFR Connectivity: ARINC 429



Use this interface module for third-party certified IFR navigators like the Avidyne IFD440/540.

Weight: 0.4 lb. (0.18 kg)  
Power: 0.1A @12V DC

MODEL#	NOTES	PRICE
SV-ARINC-429	Not compatible with SkyView SE.	\$475

## Wi-Fi Adapter for SkyView



Connect SkyView to your mobile devices via the Wi-Fi Adapter, and use apps to flight plan from home and transfer once you're at the aircraft. Compatible with ForeFlight Mobile, PocketFMS EasyVFR, SkyDemon, Ozrunways, and FltPlan Go. One is required for each SkyView display installed in an aircraft, maintaining system redundancy.

Weight: 0.006 lb. (0.003 kg)  
Power: 0.1A @12V DC

MODEL#	NOTES	PRICE
104571-000	Not compatible with SkyView SE.	\$40



**Backup Battery** 




SV-BAT-320 provides at least an hour of power to a single SkyView display and all connected SkyView Network Modules, including the ADAHRS and EMS. Install one per display for maximum power failure redundancy.

Weight: 0.8 lb. (0.4 kg) - SV-BAT-320  
Power: 1.0A @12V DC (while charging)

MODEL#	NOTES	PRICE
SV-BAT-320	Rechargeable Li-Ion battery with internal protection circuit.	\$239

**Video Input Adapter** 



Display video from any s-video or composite source. Contact Dynon about SkyView display compatibility before purchase.

Weight: 0.14 lb. (0.065 kg)  
Power: 0.15A @12V DC

MODEL#	NOTES	PRICE
102211-000	Not compatible with SkyView SE.	\$210

**PANEL ACCESSORIES** 



**Autopilot Disconnect Button**

\$69

Internally illuminated (backlit) option to add a panel-mounted disconnect button to disengage SkyView's integrated Autopilot.



**Transponder IDENT Button**

\$69

Allows the pilot to activate the Dynon transponder's "Ident" feature without the need to open the Transponder menu on SkyView.



**Autopilot Yaw Damper Button**

\$69

Allows the pilot to activate or deactivate the Dynon autopilot yaw damper feature without the need to open the autopilot menu on SkyView.



**Autopilot LEVEL Button**

\$69

Internally illuminated (backlit) dedicated button for activating the "LEVEL" mode in SkyView's integrated Autopilot.



**USB Port Panel Mount**

\$50

Available in 1', 2', or 3' lengths, the USB port allows you to easily update SkyView software and databases.



**Dimmer Knob Module**

\$95

Allows the brightness level of SkyView displays, and Dynon Avionics panel units, to be adjusted incrementally.



**Panel Module Faceplate (Blank)**

\$30

Includes 4 panel mount screws and 1 blank faceplate.



**Panel Cover Plate For SV-HDX1100**

\$15

Panel cover plate for filling the small gap below the HDX when upgrading from a D1000 display to an HDX.

# FastTrack

## INSTALLATION PRODUCTS

Until now, builders had to decide where to locate each avionics module or component in their airplane, design custom brackets to mount each, fabricate those custom brackets, and finally attach the brackets and modules to the airplane. **FastTrack** dramatically simplifies these tasks.

Dynon has created a line of time-saving products that reduce or eliminate the design, fabrication, and wiring efforts normally required when installing any avionics system in your airplane.

## FastTrack Essentials Packages

Dynon's **FastTrack** Essentials Packages are pre-assembled kits that provide homebuilders with many of the core modules every system requires in a single product. Included modules come mounted to a FastTrack Universal Module Mounting Tray Kit for SV-HDX1100, and most are already networked together with included SkyView Network cables and SkyView Network Hub.


The builder removes the **FastTrack** Essentials package from its box, fastens the assembly to the instrument panel with 4 rivets, and installs their SV-HDX1100 display by threading the 4 provided mounting screws into the provided nutplates. Building out a panel has never been easier.



\$2115

VFR Version

SkyView HDX Display Not Included



\$2720


IFR Version

SkyView HDX Display Not Included

**FastTrack** Essentials Packages are available in VFR and IFR editions. The VFR edition comes with the SV-EMS-220 EMS Module, SV-ADSB-472 ADS-B In Receiver, SV-NET-HUB SkyView Network Hub, SV-NET SkyView Network Cables, SkyView Display Harness, and the ADS-B Receiver Harness Kit. The IFR edition adds an SV-ARINC-429 module for IFR navigator connectivity.

## FastTrack Module Mounting Systems

Dynon's **FastTrack** series of module mounting system products eliminate the planning and effort required to locate various modules in your airplane, design and fabricate the custom module mounting bracketry, and the time it takes to install these brackets in your airplane. Simply install these Dynon's prefabricated FastTrack mounting products to your airplane, then fasten the SkyView modules using the pre-installed nut plates and included hardware.



**Universal Module Mounting Tray Kit for SV-HDX1100**

\$129


The Universal Module Mounting Tray Kit provides the installer with a quick and simple method for mounting many of the commonly used SkyView electronic modules right behind the 10" SkyView HDX display on the instrument panel.



**COM/XPNDR Module Mounting Kit**

\$100

The COM/XPNDR Module Mounting Tray Kit simplifies both the new and the retrofit installations of the Dynon remote mounted SkyView COM transceiver and the Skyview Transponder into your airplane.





**Module Mounting Tray For SV-HDX800**

\$100

The SV-HDX800 Module Mounting Tray simplifies both the new and retrofit installations by providing the means for mounting the SV-HDX800 display and its backup battery. In addition, it provides mounts for either a COM transceiver or a Transponder.


### ADAHRS to ADAHRS/ARINC Module Stacking Kit



The ADAHRS to ADAHRS/ARINC Module Stacking Kit can be used to attach a SV-ARINC-429 module directly to the top of an SV-ADAHRS-200/201 module. It can also be used to mount two ADAHRS together.

MODEL#	NOTES	PRICE
102532-000		\$40

### EMS to ADAHRS/ARINC Module Stacking Kit



The EMS to ADAHRS/ARINC Module Stacking Kit can be used to attach either an ADAHRS or an ARINC-429 module directly to the top of the EMS module.

MODEL#	NOTES	PRICE
103917-000		\$40



## FastTrack Wire Harnesses and Network Cables

### SAVE TIME AND ELIMINATE THE POSSIBILITY OF WIRING ERRORS

Dynon's prefabricated wiring harnesses connect SkyView modules and accessories to the system using color coded aviation grade Tefzel® wire to simplify installation. These harnesses are manufactured by Dynon to exacting standards and are functionally tested to eliminate any risk of wiring errors.

#### Display Harness



\$130

The Display Harness features a fully terminated 37 pin D-sub connector at one end that mates with the main connector on the back of the display.

#### ADS-B Receiver Harness Kit



\$70

This kit contains color-coded aviation grade Tefzel® wire and everything needed to mate with and operate the SV-ADSB-472 ADS-B Receiver.

#### Transponder Harness Kit



\$80

This kit contains color-coded aviation grade Tefzel® wire and everything needed to mate with and operate the SV-XPNDR-261/262 Transponders.

#### Intercom Harness



\$255

A complete audio harness solution to connect a SV-INTERCOM-2S to a Dynon COM radio, SkyView displays, headsets, and other audio inputs.

### Network Cables

To help ensure that your installation goes as smoothly as possible, prefabricated SkyView Network Cables are available in a broad range of lengths to accommodate the interconnection of your SkyView Network components no matter how close or how far they are mounted from each other.

#### Connector to Connector Cables



SV-NET-6inCC Network Cable, connector 2 ends, 6" Tefzel	\$50.00
SV-NET-8inCC Network Cable, connector 2 ends, 8" Tefzel	\$50.00
SV-NET-10inCC Network Cable,connector 2 ends, 10" Tefzel	\$50.00
SV-NET-1CC Network Cable, connector 2 ends, 1' Tefzel	\$55.00
SV-NET-1.5CC Network Cable,connector 2 ends, 1.5' Tefzel	\$65.00
SV-NET-2CC Network Cable, connector 2 ends, 2' Tefzel	\$70.00
SV-NET-3CC Network Cable, connector 2 ends, 3' Tefzel	\$70.00
SV-NET-6CC Network Cable, connector 2 ends, 6' Tefzel	\$80.00

#### Connector to Pins Cables



SV-NET-10CP Network Cable, connector 1 end, 10' Tefzel	\$90.00
SV-NET-15CP Network Cable, connector 1 end, 15' Tefzel	\$95.00
SV-NET-20CP Network Cable, connector 1 end, 20' Tefzel	\$105.00
SV-NET-25CP Network Cable, connector 1 end, 25' Tefzel	\$130.00
SV-NET-30CP Network Cable, connector 1 end, 30' Tefzel	\$149.00

## FastTrack Installation Accessories

### OTHER PRODUCTS TO GET YOU IN THE AIR FASTER

Dynon **FastTrack** Installation Accessories help builders get from “first dream to first flight” as quickly as possible. These products help eliminate obstacles that builders often face as they craft their dream panel.


#### Pitot/Static/AOA Pneumatic Install Kit



\$160

All the pneumatic tubing and connectors you need to install your Pitot, Static, and AOA. Includes static ports.

#### Pitot Mount Bracket



\$105

Mounting bracket for Dynon Avionics AOA / Pitot Tube (both heated and unheated versions).

#### Transponder & ADS-B Receiver Antenna



\$40 Each

Rod type Transponder and ADS-B Receiver Antennas (1090 MHz and 978 MHz).

#### SkyView HDX Panel-mount screws



\$10

A packet of 30 replacement panel mount screws to help install your SkyView System.

#### SkyView Classic Panel-mount screws



\$10

A packet of 30 replacement panel mount screws to help install your SkyView System.

#### Connector Kits



\$15-20 Each

D-sub 9-pin, 15-pin, and 25-pin Male and Female Connector kits for your SkyView System.

#### Network Splitter



\$115

The 12 inch long SkyView Network Splitter cable allows one SkyView Network connection to be split into two.

#### Ethernet Cables



\$30

The 3' long Ethernet Cable allows the connection of two SkyView display ethernet ports with each other.

#### 5-Port Network Hub



\$65

Join up to 5 SkyView Network Cables together, eliminating complicated splicing, with the SkyView Network Hub.

**ORDER ONLINE AT SHOP.DYNON.COM**




# SKYVIEW ARCHITECTURE

— — — — RS-232 Serial Data Connection  
— SkyView Network Cable (SV-NET-XXXX) Connection  
— Product-Specific Harness Connection  
— SV-NET-SERVO Harness Connection

1 end w/D-sub connector; 1 end w/pins only	
SV-NET-10CP	10' long
SV-NET-15CP	15' long
SV-NET-20CP	20' long
SV-NET-25CP	25' long
SV-NET-30CP	30' long


9-pin D-Sub Connectors fitted to both ends	
SV-NET-6inCC	6" long
SV-NET-8inCC	8" long
SV-NET-10inCC	10" long
SV-NET-1CC	12" long
SV-NET-1.5CC	18" long
SV-NET-2CC	2' long
SV-NET-3CC	3' long
SV-NET-6CC	6' long

Product-Specific Harnesses	
SV-HARNESS-D37	3' long (6' P&G)
SV-NET-SERVO	20' long
SV-HARNESS-XPNDR	15' long
SV-HARNESS-ADSB	15' long
SV-HARNESS-INT	15' long



Lyc/Cont/ Superior	4 Cylinder	6 Cylinder	Jabiru	Rotax
Carbureted	EMSKIT-L4C	EMSKIT-L6C	EMSKIT-J22	EMSKIT-RTX
Fuel Injected	EMSKIT-L4F	EMSKIT-L6F	EMSKIT-J33	EMSKIT-RTXiS

SV-EMS-220 /221 Engine & Systems Monitoring



Example Engine & Systems Monitoring Layout



# INSTRUMENT PANEL


SV-HDX1100 10" Touchscreen Display



SV-HDX800 7" Touchscreen Display



Display Two Panel Mount USB



Backup Battery

SERIAL PORT 1

SERIAL PORT 2

SERIAL PORT 3

SERIAL PORT 4


SERIAL PORT 5



SV-XPNDR-261 Transponder  
ADS-B Out Compliance



SV-ADSB-472 Receiver  
Traffic & Weather



3rd Party  
RS-232  
Serial Devices



SV-GPS-2020 (WAAS)  
ADS-B Out Compliant GPS



SV-COM Transceiver  
Remote-mount VHF Radio



SV-MAG-236  
Remote Magnetic Compass



SV-ADAHRS-201 (Secondary)  
Attitude & Pitot Static



SV-ADAHRS-200 (Primary)  
Attitude & Pitot Static



SV-ARINC-429  
IFR Navigation Interface

This is an example layout, actual system configurations may be slightly different.

# PANEL POSSIBILITIES

You'd be surprised what you can fit in your aircraft when you choose Dynon. Our screen form-factors were designed with minimal bezels, made as narrow as possible. Even the tightest panels have room for two or even three displays, with display options in 7" and 10" form factors. The RV-8 panels on this page are examples of what you can accomplish in narrow tandem seat aircraft.

## Capabilities

Dynon Avionics glass panel systems comprise most of the avionics in your aircraft, with many components, like the transponder, mounted remotely so they don't take up valuable panel space.

In addition to primary flight instruments and a full-featured engine monitor, SkyView contains robust mapping and navigation capabilities. Simply point at or touch map features to learn more about them. Your avionics know enough about airports and airspace to let you keep your charts stowed. Terrain, obstacle, weather and traffic data guide you away from danger. An intuitive, robust flight planner lets you quickly route yourself to your \$100 hamburger. You can even send flight plans to your panel via Wi-Fi from popular apps like FlyQ and ForeFlight Mobile.

Equip your SkyView system with a full-featured two-axis autopilot just by adding affordable Dynon servos to the aircraft. This saves you thousands over a standalone autopilot. For pilots who value dedicated controls, the optional autopilot control panel ensures autopilot mode control is always at your fingertips.

SkyView's COM radio breaks the mold with a revolutionary pilot interface. Combine its knowledge of airport and ATC frequencies with dedicated buttons for tuning various frequency types, and you can literally fly across the country without ever manually spinning in a frequency. It will change the way you fly. Pair the COM radio with Dynon's Two-Place Stereo Intercom: it outclasses comparable products with ample inputs for SkyView alerts, stereo music, and other technology in your panel.

SkyView's SV-XPNDR-261 integrated Mode-S Transponder is a fully 2020-compliant ADS-B Out device when paired with a high integrity GPS source like our SV-GPS-2020, and it automatically switches AIR/GND modes when you takeoff and land. Add our dual band ADS-B receiver to gain even more situational awareness with a FULL traffic and weather portrait.

## Equipping for your Mission: IFR vs. VFR

When equipping for IFR, redundancy is paramount. This means you want your critical flight instruments backed up to maintain your ability to aviate and navigate safely in an emergency. You can achieve this redundancy with a second display and ADAHRS, giving you "partial-panel" capability that really isn't partial at all. Additionally, your SkyView system continuously cross-checks multiple ADAHRS against each other to ensure the integrity of your primary flight instruments. Dual data paths in SkyView Network harnesses let your system caution you about emerging wiring problems without loss of function. Equipping at least one display with a backup battery safeguards against electrical failure, and a heated AOA/Pitot probe protects against inadvertent icing.

Many pilots also equip with a third-party NAV radio and/or certified GPS - such as the Avidyne IFD440/540 - for legal IFR flight navigation. An independent set of backup flight instruments is another option to consider

If you're equipping for VFR flight, the additional real estate provided by a second display is popular for displaying larger PFD, Engine, and Map pages than a single display affords. No matter what your budget, you'll find that a Dynon-equipped panel will actually save you money and time compared to putting together a panel of disparate other products.

For both VFR and IFR aircraft, SkyView has chart subscription options at unprecedented low prices through partnerships with Seattle Avionics (US), PocketFMS (EU), AvPlan EFB (AU/NZ), OzRunways (AU), and Airmate (S Amer).

Depending on the provider/country, procedure charts (plates), airport diagrams, and VFR/IFR en route charts are available.

## Light, Sporty

Looking for a simple, clean VFR panel for your sport aircraft? A single 7" or 10" SkyView SE Display can do everything you need, with all controls easily accessible on the front panel. The menu system is intuitive and logical to use. The left and right knobs make it fast and easy to make adjustments.



A simple VFR aircraft can be fully-equipped, including ADS-B Out capability with just one SkyView HDX display, a COM and Intercom in the panel. Other modules are mounted remotely.

Add a second SkyView display for more screen real estate. Dedicated knob and/or autopilot control panels offer direct control of frequently used SkyView features.

## Weekend Warrior - Affordable IFR

Just because you're in a sporty tandem aircraft doesn't mean you can't also have the capability to fly through weather. A configuration like this, with dual displays, redundant ADAHRS, battery backup, and an IFR navigator equips you for legal, safe IFR flight.



Dynon displays and modules were designed with narrow bezels that hug the display. This lets us offer form factors that make equipping even the tightest panels possible. Add a second SkyView display for more screen real estate and redundancy. Dedicated knob and/or autopilot control panels offer direct control of frequently-used features.



# PANEL POSSIBILITIES

## Cross-Country Cruiser

Want a cross-country panel with more features for long distance travel? A second display makes navigating easier and is also a great backup. Add a control panel with dedicated knobs for Altitude, Barometer, and Heading/Track so they are always there for quick adjustments. The autopilot control panel adds immediate control of all autopilot modes.



With three displays, you're actually equipped better than many airliners!



## The Airliner

We admit, it's a lot of panel. But it's possible and extremely capable. Dynon's architecture supports configurations that span from a single display all the way up through what is shown here. In fact, the Glasair Sportsman that some of our employees built and fly has a similar three-screen configuration as this RV-10 example. Please ask one of us about it!



## ADVANCEDPANEL

FROM DYNON AND ADVANCED FLIGHT SYSTEMS

### LET US BUILD YOUR DREAM PANEL

Ask us about our complete and ready-to-install **ADVANCEDPANELs** for your aircraft. Professionally engineered, configured, and tested.



# SYSTEM WORKSHEET

Description	List Price	Light, Sporty	Weekend Warrior	Cross-Country Cruiser	The Airliner	Your System	Model Numbers
<b>Primary Flight Display (PFD) and Navigation</b>							
7" SkyView HDX Display	\$3190 ★	\$3190 ★	\$3190				SV-HDX800
10" SkyView HDX Display	\$4490	\$4490	\$4490	\$8980	\$13,470		SV-HDX1100
Primary Wiring Harness - SkyView	\$130 ★	\$130 ★	\$130	\$260	\$390		SV-HARNESS-D37
ADAHRS - Primary	\$1430 ★	\$1430 ★	\$1430	\$1430	\$1430		SV-ADAHRS-200
ADAHRS - Second for Redundancy	\$850		\$850		\$850		SV-ADAHRS-201
Remote Magnetometer for SkyView (optional)	\$180						SV-MAG-236
GPS 5Hz Receiver/Antenna	\$249 ★★		\$249 ★★		\$249 ★★		SV-GPS-250
ARINC-429 Interface Module (for IFR GPS interface)	\$475		\$475		\$475		SV-ARINC-429
SkyView Backup Battery	\$239	\$239	\$239	\$239	\$239		SV-BAT-320
SkyView Knob Control Panel (Vertical or Horizontal available)	\$325	\$325	\$325	\$325	\$325		SV-KNOB-PANEL (V/H)
Video Input Adapter	\$210						102211-000/AF-VIDEO
Wi-Fi Adapter (one per display required)	\$40		\$40	\$80	\$120		104571-000
Ethernet Cable - 3' (multiple displays only)	\$30		\$30	\$30	\$30		SV-ETHERNET-3CC
Network Cables: 6" - 30'	\$45 - \$120 ★	\$225 ★	\$355	\$225	\$420		SV-NET-XXX
Network Splitter (for installing two ADAHRS)	\$115		\$115		\$115		SV-NET-SPL
Network 5 Port Hub (for installing more than two modules)	\$65		\$65		\$65		SV-NET-HUB
<b>PFD &amp; Navigation Subtotal:</b>		<b>\$10,029</b>	<b>\$11,983</b>	<b>\$11,569</b>	<b>\$18,178</b>		
<b>Engine Monitoring</b>							
Standard Engine Monitoring Module / Module For Rotax 912 iS & 915 iS	\$690	\$690	\$690	\$690	\$690		SV-EMS-220 / 221
3' Network Cable (both end connectors)	\$70	\$70	\$70	\$70	\$70		SV-NET-3CC
Lyc/Cont/Superior, 4-cyl, Carbureted / Fuel Injected	\$1125 / \$1080		\$1080	\$1080			EMSKIT-L4C / L4F
Lyc/Cont/Superior, 6-cyl, Carbureted / Fuel Injected	\$1320 / \$1275				\$1275		EMSKIT-L6C / L6F
Rotax 912 / Rotax 912 iS	\$590 / \$330	\$590					EMSKIT-RTX / RTX iS
Jabiru 2200 / 3300	\$905 / \$1070						EMSKIT-J22 / J33
Fuel Flow Transducer	\$265		\$265	\$265	\$265		100403-003
<b>Engine Monitoring Subtotal:</b>		<b>\$1,350</b>	<b>\$2,105</b>	<b>\$2,105</b>	<b>\$2,300</b>		
<b>Dynon Autopilot</b>							
SV32, SV42, SV52 Servo, Roll and/or Pitch, Regular or Capstan	\$850	\$1700	\$1700	\$1700	\$1700		Various
SkyView Autopilot Control Panel (Vertical or Horizontal available)	\$645	\$645	\$645	\$645	\$645		SV-AP-PANEL (V/H)
Network Servo Wiring Kit - 20'	\$85	\$170	\$170	\$170	\$170		SV-NET-SERVO
Network 5 Port Hub (for installing more than two modules)	\$65	\$65		\$65			SV-NET-HUB
Network Cable - with both end connectors, 1.5' or 3'	\$65 or \$75	\$130	\$65	\$130	\$65		SV-NET-1.5CC
Servo Mounting Brackets Kits - Various	\$95-110	\$190	\$190	\$190	\$190		Various
Generic Servo Connection Kit	\$30						101020-000
<b>Autopilot Subtotal:</b>		<b>\$2,900</b>	<b>\$2,770</b>	<b>\$2,900</b>	<b>\$2,770</b>		

★ A 7" SkyView HDX system with PFD and Mapping starts at \$4749. Includes display, ADAHRS, required harnesses. Add \$250 for SV-GPS-250 if not already equipping with ADS-B Out compliant SV-GPS-2020.

★★ Required if not using SV-GPS-2020

Description	List Price	Light, Sporty	Weekend Warrior	Cross-Country Cruiser	The Airliner	Your System	Model Numbers
<b>Transponders, ADS-B In/Out, Traffic and Weather</b>							
Class 1, Mode-S, FAA 2020 ADS-B Out compliant	\$2390	\$2390	\$2390	\$2390	\$2390		SV-XPNDR-261
Class 2, Mode-S (<175kts; <15,000 ft, not for US use)	\$1990						SV-XPNDR-262
High Integrity GPS for 2020 - ADS-B Out Compliant	\$890	\$890		\$890			SV-GPS-2020
ADS-B Dual Band Traffic and Weather	\$845	\$845	\$845	\$845	\$845		SV-ADSB-472
Transponder / ADS-B In Harnesses	\$70 / \$80	\$150	\$150	\$150	\$150		102629-000 / 102558-000
<b>Transponder &amp; ADS-B Subtotal:</b>		<b>\$4,275</b>	<b>\$3,385</b>	<b>\$4,275</b>	<b>\$3,385</b>		

<b>Radios, Intercom and Audio</b>							
VHF COM Radio, 25 kHz / 8.33kHz (Vert. or Hor. COM Panel versions available)	\$1375 / \$2330	\$1375	\$1375	\$1375	\$1375		SV-COM-T25 / T8 + SV-COM-PANEL (V/H)
Network Cable - with both end connectors, 1.5' or 3'	\$65 or \$70	\$65	\$65	\$65	\$65		SV-NET-1.5CC
2-Place Stereo Intercom (Incl. Vertical & Horizontal faceplates)	\$295	\$295	\$295	\$295	3rd Party Audio Panel		SV-INTERCOM-2S
Intercom Harness	\$255	\$255	\$255	\$255			102791-000
<b>Radio &amp; Audio Subtotal:</b>		<b>\$1,990</b>	<b>\$1,990</b>	<b>\$1,990</b>	<b>\$1,440</b>		

<b>Dynon AOA/Pitot Probes</b>							
Pitot Probe, Unheated - underwing	\$245	\$245		\$245			100141-000
Pitot Probe, Heated, w/controller - underwing	\$535		\$535		\$535		100667-000
Pitot Probe, Unheated - boom mount	\$245						100532-000
<b>AOA/Pitot Subtotal:</b>		<b>\$245</b>	<b>\$535</b>	<b>\$245</b>	<b>\$535</b>		

<b>FastTrack Mounting Options</b>							
When using FastTrack Mounting Trays & Stacking Kits, SkyView Network Cable lengths are often reduced from above examples.							
Universal Module Mounting Tray Kit for SV-HDX1100	\$129						104071-000
COM/XPNDR Module Mounting Kit	\$100						104031-000
Module Mounting Tray For SV-HDX800	\$100						104071-000
EMS to ADAHRS/ARINC Module Stacking Kit	\$40						103917-000
ADAHRS to ADAHRS/ARINC Module Stacking Kit	\$40						102532-000

**FastTrack Essentials** Packages are available in VFR (\$1995) and IFR (\$2565) editions. They include a 10" Mounting Tray with components pre-installed. VFR edition includes SV-EMS-220 Module, SV-ADSB-472 ADS-B In Receiver + Harness, SV-NET-HUB SkyView Network Hub, SkyView Network Cables, and Display Harness. IFR edition adds SV-ARINC-429 module, a SkyView Network Cable, and EMS-ARINC Stacking Kit.

Description	List Price	Light, Sporty	Weekend Warrior	Cross-Country Cruiser	The Airliner	Your System	Model Numbers
<b>Total:</b>		<b>\$20,789</b>	<b>\$22,768</b>	<b>\$23,084</b>	<b>\$28,608</b>		

Additional Non-Dynon Avionics that may be needed: IFR-Certified GPS, Nav Radio, COM Radio Antenna.

# DYNON PORTABLE

## D3 POCKET PANEL

### PORTABLE TOUCHSCREEN EFIS WITH SYNTHETIC VISION

Meet the D3 - the newest edition of Dynon's popular Pocket Panel. Now featuring Synthetic Vision, the D3 Dynon Pocket Panel lets pilots supplement their often unreliable legacy instrumentation with an affordable, portable electronic attitude indicator. Both of the included cockpit mounting options require no tools, allowing the D3 to be deployed in any aircraft without regulatory approval.




## FEATURES

- **NEW** - Synthetic Vision
- **NEW** - Intuitive Touchscreen Interface
- **NEW** - Improved Brightness for Superior Sunlight Readability
- Accurate Pitch and Roll: A True Artificial Horizon
- Proven Dynon Attitude Sensing Engine
- Internal Li-Ion Battery for Extended Cord-Free Use
- Two Versatile Mounts Included
- GPS Ground Speed
- GPS Ground Track
- GPS Altitude and Vertical Speed
- Turn Rate
- Slip/Skid Ball
- G-Meter Page with Min and Max Indications
- Adjustable Brightness for Night Flight
- Truly pocket sized: Approximately 3½" x 3¼" x 1"

## INCLUDES ALL MOUNTS AND ACCESSORIES

- AC Wall Charger
- DC Vehicle Charger
- Charging Cable
- Mounting Cradles (two included)
- RAM® Portable Suction Cup Mount
- Portable "Pinch" Mount for Standard 3-1/8" Instrument Hole
- External GPS Antenna (not required in many cockpits)





DYNON

GPS ALT 8500 ALT 8500 17:29:21 u 4S6 122.900 MCOM 096 KPAE 132.950 TWR2 4S6  
 GPS ALT 8749FT  
 NEXT WPT 4S6  
 DTW 54.2NM  
 ETE NEXT 00:28  
 LOCATION N 46°58.890' W122°20.333'  
 DEST WPT 4S6  
 DIST TO GO 54.2NM  
 ETE FINAL 00:28  
 ETA FINAL 17:58 U  
 VSR 4S6 192FPM

8500 FT  
 8600  
 8400  
 8300  
 8480  
 29.64 IN DA 8641  
 SKYVIEW 54.2NM 4S6  
 OAT 26F  
 110  
 90  
 80  
 110  
 90  
 80  
 110  
 90  
 80

VAR / LT HDG 122  
 XW --

24 24  
 24 24  
 24 24  
 16 204 60  
 111.2 0.0 8.4  
 HOBBS TACH GAL/HR  
 RPM MAP INHG ROP  
 2480 8.4  
 111.2 0.0 8.4  
 HOBBS TACH GAL/HR  
 RPM MAP INHG ROP

28.0 BATT VOLTS  
 12 AMPS  
 0°  
 20 FLAPS

CHT 384 384 384 °F  
 °F 1048 1048 1048 EGT

FPL MENU DISPLAY NO MSG (MAP)

Actual size SkyView SV-HDX1100 10" Display  
 For planning use only. Do not use as a panel-cutting template.





Actual size SkyView SV-HDX800 7" Display



IDENT Button



Level Button



Panel Mount USB Port  
(One for each display)



AP Disconnect Button



Yaw Damper Button



Dimmer Knob



IDENT Button



Level Button



Panel Mount USB Port  
(One for each display)





AP Disconnect Button



Yaw Damper Button



Dimmer Knob



Actual Size Control Panels

For planning use only. Do not use as a panel-cutting template.






Actual size SkyView SV-HDX800 7" Display



Actual Size Control Panels

For planning use only. Do not use as a panel-cutting template.





Actual size SkyView SV-HDX1100 10" Display  
 For planning use only. Do not use as a panel-cutting template.





19825 141st PL. NE, Woodinville, WA 98072  
(425) 650-1269

**DYNON.COM**



@dynonavionics